Supporting Information

Thiophene-benzimidazolium polymer salts: synthesis, characterization and antimicrobial activities

Savas Kanbur[1], Gulcin Ozcan Ates[1], Sinem Altinisik[2], Ulas Cinar[3] and Fatma Baycan[4,*]

[1]Department of Medical Services and Techniques, Canakkale Onsekiz Mart University, Canakkale, Turkey.
[2]Department of Chemical Engineering, Faculty of Engineering, Canakkale Onsekiz Mart University, Canakkale, Turkey.
[3]Occupational Health and Safety Education Application and Research Center, Canakkale Onsekiz Mart University, 17100 Canakkale, Turkey.
[4]Department of Chemistry, Faculty of Arts and Sciences, Canakkale Onsekiz Mart University, Canakkale, Turkey.

Correspondence to: Fatma BAYCAN (e-mail:fatmabaycan@comu.edu.tr)

Table of Contents **Page**

Figure S1. ^{1}H-NMR spectrum of TBIP S2

Figure S2. ^{1}H-NMR spectrum of TBIP-Br S2

Figure S3. ^{1}H-NMR spectrum of TBIP-BF_4 S3

Figure S4. ^{1}H-NMR spectrum of TBIP-ClO_4 S3

Figure S5. FT-IR spectrum of TBIP and its salts S4

Figure S6. GPC data of TBIP S4

Figure S7. GPC data of TBIP-Br S5

Figure S8. GPC data of TBIP-BF_4 S6

Figure S9. GPC data of TBIP-ClO_4 S7



Figure S1. ^{1}H-NMR spectrum of TBIP



Figure S2. ^{1}H-NMR spectrum of TBIP-Br



Figure S3. ^{1}H-NMR spectrum of TBIP-BF_4



Figure S4. ^{1}H-NMR spectrum of TBIP-ClO_4



Figure S5. FT-IR spectrum of TBIP and its salts



Figure S6. GPC data of TBIP



Figure S7. GPC data of TBIP-Br



Figure S8. GPC data of TBIP-BF_4



Figure S9. GPC data of TBIP-ClO_4